## HEALTHFTOOD STATEMS - HE

## University of California

**Agriculture and Natural Resources** 



## UCCE/DWR Weekly Crop Water Use Report

Making a Difference for California

	WEEH	KLY CROI		nated Crop	spiration or		tations (in i	nches)				
Crops (Leafout Date)		#70 Manteca			#1	#194 Oakdale			#206 Denair II			
		04/19 - 04/25	Accum'd	04/26 - 05/02	04/19 - 04/25	Accum'd	04/26 - 05/02		04/19 - 04/25	Accum'd	04/26 - 05/02	
		Water	Seasonal	Estimated	Water	Seasonal	Estimated		Water	Seasonal	Estimated	
	Weekly Kc	Use	Water Use	ETc	Use	Water Use	ETc		Use	Water Use	ETc	
Almonds $(3/1)$ *	0.83	0.89	4.30	1.18	1.04	5.03	1.16		1.08	5.26	1.19	
Peaches (3/15) *	0.39	0.42	1.43	0.64	0.50	1.73	0.62		0.52	1.81	0.65	
Walnuts (4/12) *	0.53	0.44	0.54	0.76	0.50	0.60	0.74		0.53	0.63	0.77	
Vineyard Established (3/22)	0.22	0.20	0.57	0.32	0.26	0.71	0.32		0.27	0.76	0.33	
Alfalfa (2/1)	0.97	1.04	8.05	1.33	1.23	8.92	1.30		1.26	9.36	1.38	
Pasture (2/1)	1.0	1.08	8.09	1.40	1.28	9.06	1.37		1.32	9.52	1.45	
Past 7 days precipitation (inches)			0.00			0.01				0.00		
Accumulated precipitation (inches) (since 3/1/2024)			3.31			2.73				3.97		

Evapotranspiration accumulations for this report started on February 1, 2024, for alfalfa and pasture or on the approximate full bloom date for almonds, peaches, and walnuts.-indicated in parentheses. Irrigators must consider any appreciable precipitation that occurred during the previous report period when calculating the correct amount of irrigation to apply to meet ET needs. Actual irrigation needs should be confirmed with soil and/or plant-based monitoring tools.

\* Estimates are for orchard/vineyard floor conditions where vegetation is managed by some combination of strip applications of herbicides, frequent mowing or tillage, and by mid and late season shading. Weekly estimates of soil moisture loss can be as much as 25 percent higher in orchards where cover crops are planted and managed more intensively for maximum growth.

PAST WEEKLY APPLIED WATER IN INCHES, ADJUSTED FOR EFFICIENCY 1												
Crops	#	#70 Manteca			#194 Oakdale				#206 Denair II			
System Efficiency >>	75%	85%	95%		75%	85%	95%		75%	85%	95%	
Almonds (3/1)	1.2	1.0	0.9		1.4	1.2	1.1		1.4	1.3	1.1	I
Peaches (3/15)	0.6	0.5	0.4		0.7	0.6	0.5		0.7	0.6	0.5	
Walnuts (4/12)	0.6	0.5	0.5		0.7	0.6	0.5		0.7	0.6	0.6	
Vineyard Established (3/22)	0.3	0.2	0.2		0.3	0.3	0.3		0.4	0.3	0.3	
Alfalfa (2/1)	1.4	1.2	1.1		1.6	1.4	1.3		1.7	1.5	1.3	

1 The amount of water required by a specific irrigation system to satisfy evapotranspiration. Typical ranges in irrigation system efficiency are: Drip, 80%-95%; Micro-sprinkler, 80%-90%; Sprinkler, 70%-85%; and Flood, 50%-75%.

For further information concerning this report, contact Roger Duncan or Moneim Mohamed at the University of California Cooperative Extension office in Stanislaus County at (209) 525-6800.